

Vehicle-No.: 503022



## Mercedes-Benz 3253 L AROCS 8X4 aspirator

**Euro 465.000,00 + Mwst.**

**AVG Trucks GmbH**

Gwinnerstraße 36

60388 Frankfurt/M

Telephone: **+49 (0) 69-942138-0**

Fax: **+49 (0) 69-942138-38**

[info@avg-trucks.de](mailto:info@avg-trucks.de)

<http://www.avg-trucks.de>

Contract structure	Caster steering axle entlast- und liftbar. full service history
First registration	26.01.2023
Mileage	16.200 km
Emission level	6
Engine power	390/530 kW/PS
Total weight	32.000 kg
Kerb weight	28.285 kg
Payload	3.715 kg
Wheelbase	4.200 mm
Suspension	parabolic/air
Operator's cab	cab medium length

### Equipment

A1E Front axle 9,0 t
A1Y Front axle, straight version
A2G Rear axle, crown wheel 300, planets, 13.4 t
A4Q Trailing axle, 9 t, steered, can be relieved, lifted
A6A Final drive ratio i = 4.571
B1B Electronic braking system with ABS and ASR
B2A Disk-brakes front- and rearaxle
B2X Parking brake, electronic
C2I Wheelbase 4200 mm
C6Q Anti roll bar front
D0A leather Steering Wheel
D1C Driver's suspension seat comfort
D1N Passenger seat feature
D4Z Sun blind side, driver and passenger side
D6F Air conditioning
D6I Residual heat
D6M Hot water heater, cab
D8A Roof hatch / vent, roof
E4B Interface, fleet management system FMS
E4W Traction, speed limit 30 km / h
E6A Trailer socket 24V, 15-pin
E6Y Reversing alarms combined with hazard lights
E7F Cable remote control for air suspension
E9G Preparation for electrical devices
F05 "M" cab, of medium length
F1B M-Cab Classic Space 2,30 m, tunnel 170 mm
F1Q Medium sized cab
F2B Floor variant, tunnel 170 mm
F2G Cabin width 2.30 m
F2N Cab, 600 mm heel height
F2U ClassicSpace

F4X Storage compartment outside flap left  
F5L Sun visor, exterior, transparent  
F6Q Air horn  
F6T MirrorCam  
F7D Bumper, middle part towing eyes, coupling jaw  
F7Y Cab access left / right to move  
F8E Locking system with central locking  
F8F comfort Lock  
F8V Light sensor  
F8W Rain sensor  
G0K Driving program economy / power  
G0T Predictive Powertrain Control (PPC)  
G40 Automatic transmission  
G5G Mercedes PowerShift 3  
H16 Driver's seat heating  
I4R Wheel formula 8x4 ENA  
I5G 32.0 ton truck  
I6X Air suspension, rear axle  
J2K Speaker, 2-way system  
J2U Navigation system  
J3U Requirement FleetBoard Manager App  
J3V Truck Data Center 7  
J3Z Axle load measuring device  
J6C Multimedia cockpit, interactive  
J9D Pre-installation for toll collection  
J9P Pre-equipment and display for up to 4 cameras  
K1L Tank 430 liters  
K3V AdBlue tank 60 liters  
L1A Bi-Xenon headlights  
L1I Fog lights, LED - Daytime running lights  
L2R 2 LED all-round beacons  
L3Z Headlight washers  
M3E Motor OM471, R6, 12.8 l, 390 kW (530 hp) 2600 Nm  
M4X Engine version Euro 6, E  
M5B 2nd generation engine OM471  
M5V High Performance Engine Brake  
N4Z  
N6L  
N6Z Transmission oil cooling  
N7M Motor output back, c, hydraulicpump ISO 7653D  
O1T Interior color greige/anthracite  
Q1Y Front spring 9.0t, 4-leaf  
Q3Z Frame lowering, bellows residual pressure control  
Q8D Tow hitch, rear, ring spring  
Q8R Crossbeam, reinforced  
R2Y Alloy Rims 9:00 X 22.5  
R5E Alloy Rims 11.75 X 22.5, VA  
R5H Alloy Rims 11.75 X 22.5, NLA  
S5Z cruise control  
U1W AdBlue pipes, water-heated  
W7K Weight variant 37.0 t (9.0/10.5/10.5/8.0)  
X3Z ATS warranty according to AGB, 3 years / 250000 km  
Y1W Refrigerator, on motor tunnel  
Y21 Storage box  
Z1H EBS

Z99 Vehicle without sparewheel

Legal notice: The details of this offer are subject to change. <br/>Subject to prior sale. For sale to businesses only.

© 2005 **AVG** Trucks GmbH