

## Vehicle-No.: 507001



## Mercedes-Benz 1851 LS ACTROS tractor for semi-trailer

**AVG Trucks GmbH** 

Gwinnerstraße 36 60388 Frankfurt/M

Telefone: +49 (0) 69-942138-0 Fax: +49 (0) 69-942138-38

info@avg-trucks.de http://www.avg-trucks.de

Contract structure	full service history
First registration	01.11.2021
Mileage	261.700 km
Emission level	6
Engine power	375/510 kW/PS
Total weight	18.000 kg
Kerb weight	8.431 kg
Payload	9.569 kg
Wheelbase	3.700 mm
Height of edge of trailer tray	1.120 mm
Suspension	Air suspension
Operator's cab	GigaSpace

## **Equipment**

A1A Front axle with air suspension

A1D Front axle 8.0 t

B1B Electronic braking system with ABS and ASR

B2A Disk-brakes front- and rearaxle

B2X Parking brake, electronic

B3H Secondary water retarder

C1W Wheelbase 3.700 mm

C7T integral rear

C8Z Aerodynamic side trim

D0A leather Steering Wheel

D0U Smoke detector, in the driver's cab

D1D Driver's swing seat, climate

D1P Passenger suspension seat, comfort

D3A Comfort Bed, top, width, height-adjustable

D3B Comfortable bed, below

D3M Mattress, Premium Comfort, below

D3N Top mattress, Premium Comfort

D4Q Shaving mirror

D4S Electric sun blind, 1-part

D4T Curtain across bed

D4Z Sun blind side, driver and passenger side

D5F LED ambient lighting, drive and live

D6C Electric parking air conditioner

D6G automatic climate control

D6I Residual heat

D6M Hot water heater, cab

D7A Thermal insulation in addition

D7J Drawers under bed

D7N Flexible shelving system for filing through front window

D7V Table on the passenger side

DBX Seat base, lowered by 40 mm  ESR Power Socket 24 V 15 A, a dise wall shelf right  ESB Socket 24 V 15 A, a dise wall shelf right  ESB Instratone, fleet management system FMS  ESB MirrorCARD counter, by the bed  ESA Traillar socket 24V, 15-pin  ESY Reversing allarms combined with hazard lights  ESY Cable remote control for air suspension  ESS Preparation for electrical devices  ESI Provision switch, lift acle semitralier / trailler  FOM Extral.Line  EST Watercards start it  FOM Extral.Line  FOT Marcedes start it  FOT Marcedes start it  FOT Socket and the start is a suspension  FSC Cable remote on the start is a suspension  FSC Cable remote on the start is a suspension  FSC Cable suspension comfort with air suspension,  FSC Stonge compartment outself hap left  FAV Stonge compartment outself hap left  FAV Stonge compartment outself hap left  FAV Stonge compartment outself hap left  FSC Stonge compartment outself hap left  FSC All horns, cab roof  FSC Marcedes system with central locking  FSC Committed Compartment outself hap left  FSC Marcedes and Stone Compartment outself hap left	
ESR Power Socket 24 V / 26 A. infex wait shelf right  ESS Socket 24 V / 15 A. infex wait shelf right  ESS Moker 24 V / 15 A. infex wait shelf right  ESK Mirro-Cam counter, by the bed  ESK Mirro-Cam counter, by the bed  ESK Trailer socket 24V, 15 pm  ESV Reversing alarms combined with hazard lights  EFF Cable remote control for air suspension  ESV Reversing alarms combined with hazard lights  EFF Cable remote control for air suspension  ESV Reversing alarms combined with suspension  FOR Mirro-Cable Socket 15 Pm  FOR Mirro-Cable Socket 15 Pm  FOR Mirro-Cable Cable 15 Pm  FOR Mirro-Cable Cable 15 Pm  FOR Mirro-Cable Socket Cable 15 Pm  FOR Mirro-Cable S	D8M Sliding / tilt sunroof electric, glass version
ERS Stocket 24 V / 15 A. side wall shelf right  EBA Trailers collect Analysis of the Without Stocket S	D8X Seat base, lowered by 40 mm
E48 Interface, fleet management system FMS E5K MirrorCam counter, by the bod E5K MirrorCam counter, by the bod E5K Trailer socker 24/1, 15-pin E6Y Revening alarms combined with hazard lights E5Y Cable mirror control for air suspension E9G Preparation for electrical devices E9B Provision switch, bit rate semitralier? trailer E6K Extrailme F6T Mirrordous stat lit F1J GigaSpace catb 2:0 m wide, flat floor F1R Cablo mirror System System F7T Mirrordous stat lit F1J GigaSpace catb 2:0 m wide, flat floor F1R Cab long F2R Cab, height 755 mm top F3C Cab suspension comfort with air suspension, F3C Cab suspension comfort with air suspension comfort with air	E3R Power Socket 24 V / 25 A, front passenger footwell
E6K Alrailer socket 24V, 15 pin E6V Reversing slatmes combined with hazard lights E7F Cable remote control for all suspension E6V Reversing slatmes combined with hazard lights E7F Cable remote control for all suspension E6V Provision switch, lift acts semitraller / trailer E6W ExtraLine E6W ExtraLine E7W Marchaller E7W Marchaller E7W Marchaller E7W Marchaller E7W Marchaller E7W Samper and Samper Sa	E3S Socket 24 V / 15 A. side wall shelf right
E&A Trailer accided 244, 15-pin  E6Y Reversing alarms combined with hazard lights  E7F Cable remote control for air suspension  E8G Preparation for electrical devices  E8J Provision switch, lit axis semilaralier / trailer  FOM Marcades star lit  FOT Mercades star lit  FOT Mercades star lit  FOT Mercades star lit  FIL GiagaSpace cab 2.30 m wide, flat floor  FIR Cab long  FIR Cab long  FIR Cab long  FIR Cab long  FIR Cab suspension comfort with air suspension,  FIR Cab, height 765 mm top  FIR Cab, beight 765 mm top  FIR Cab, suspension comfort with air suspension,  FIR Cab, Storage compartment outside flag left  FIY MirrorCam  FIR Labority of the forms, cab roof  FIR MirrorCam  FIR MirrorCam  FIR MirrorCam  FIR MirrorCam  FIR MirrorCam  FIR MirrorCam  FIR London bracket chrome, lower cover cab color  FIR London bracket chrome, lower cover cab color  FIR London bracket chrome, lower cover cab color  FIR Light sensor  FIR Kab sensor  FIR Comfort Lock  FIR Vight sensor  FIR Comfort Lock  FIR Titles 315,70 R 22.5  LID A Lid Lead measuring device  JID Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP Pre-Institution for fitting CB radio. 12 V. DIN slot  JIP LID Lab Lead on headiliphs  LID Lab London headiliphs  LID Lab London headiliphs  LID Lab London headiliphs  LID Lab Lond	E4B Interface, fleet management system FMS
E6Y Reversing alarms combined with hazard lights E7F Cable remote control for all suspension E8D Propuration for electrical devices E8D Propuration for fining	E5K MirrorCam counter, by the bed
EFF Cable remote control for air suspension ESG Proposition for electrical devices ESG Proposition for electrical devices ESG Provision switch, filt axis semittrailer / trailer FOM Extractal.ce FOM Extractal.ce FOM Extractal.ce FOT Mercedas star it F1.G clipsSpace cab 2.30 m wide, fist floor F1.R Cab long F1.R Cab long F1.R Cab long F2.P Cab, height 755 mm loop F2.P Cab, suspension comfort with air suspension, F3.P Storage compartment outside flap left F4.Y Storage compartment outside flap left F6.P Storage compartment outside flap le	E6A Trailer socket 24V, 15-pin
E90 Preparation for electrical devices E90 Provision switch, litt axis semitrater / trailer FOT Marcades star its F1J GigaSpace cab 2:30 m wide, flat floor F1R Cab long F2R Cab width 2:50 m F2R Cab, height 765 mm top F3C Cab suspension comfort with air suspension, F4X Storage compartment outside flap left F4X Storage compartment flap left F4X Ava Ava Storage Cab Storage Cab Storage F4X F4X Storage Cab Storage C	E6Y Reversing alarms combined with hazard lights
E9I Provision switch, lift axis semitrailer / trailer FOM Estraducies FOM Metraducies star lif FLI GasSpace cab 2.30 m wide, flat floor FFIR Cab long FPIR Cab long FPIR Cab width 2.50 m FPIR Cab superson comfort with air suspension, FPIR Cab superson comfort with air suspension, FPIR Cab superson comfort with air suspension, FPIR Storage compartment outside flap left	E7F Cable remote control for air suspension
FOR Marcedes star lit FIG Gas Jose cab 2.30 m wide, flat floor FIR Cab long FIR Cab supersion comfort with air suspension, FIR CAB suspension comfort with air suspension, FIR CAB suspension comfort with air suspension, FIR CAB suspension comfort with air suspension, FIR XS torage compartment outer flap, right FIR ST Storage compartment outer flap, right FIR ST Storage compartment outer flap, right FIR ST	E9G Preparation for electrical devices
FOT Mercedes star lit F1J GigsSpace cab 2.30 m wide, flat floor F1R Cab long F2H Cab width 2.50 m F2P Cab, height 765 mm top F4X Storage compartment outside flap left F4Y Storage compartment outside flap left F6T Air Storage compartment outside flap left F6T Air Storage compartment outside flap left F6T Air MirrorCam F6T Air MirrorCam bracket chrome, lower cover cab color F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking system with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking system with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking system with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking system with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking system with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lower cover cab color F6T Lioticking System with central locking F6T Air MirrorCam bracket chrome, lover cab color F6T Air MirrorCam bracket chrome, lover cab	E9I Provision switch, lift axle semitrailer / trailer
F1J GigaSpace cab 2.30 m wide, flat floor F1R Cab long F1R Cab long F2P Cab, height 765 mm top F3C Cab suspension comfort with air suspension, F3C Cab suspension comfort with air suspension, F3C Storage compartment outside flap left F4X F5C Sun visor, exterior, transparent F6R Air horns, cab roof F6T MirrorCam F6R VariorCam F6R VariorCam F6V MirrorCam bracket chrome, lower cover cab color F6E Locking system with central locking F6F confrorLock F6V VariorCam F6	F0M ExtraLine
F2H Cab long F2H Cab width 2.50 m F2PC Cab, helpth 755 mm top F3C Cab suspension comfort with air suspension, F4X Storage compartment outside flap left F4X Ifs F6L Sum visor, exterior, transparent F6R Air horns, cab roof F6R MirrorCam F6R MirrorCam F6R Locking system with central locking F8F comfort Lock F8V Light sensor F8V Light sensor F8V Rain sensor G0K Driving program economy / power G0K Driving program economy / power G0K Driving program economy / power G0K Prodelive Powertrain Control (PPC) G0S Mercedes PowerShift 3 L2F Tires 315/70 R 22.5 L2M Tires 385/58 R 22.5 VAVILANILA L4A 4.2 wheel Driving L3D Sund-System L3D Sund-System L3D Convenience telephony, wireless charging L3U Navigation system J3U Requirement FloetBoard Manager App J3U Truck Data Center 7 J3Z Axte load measuring device U6C Multimedia cockpit, interactive J3D Pre-installation for toll collection K1R Combil Tank Z3D L Dissel + 75 L AdBlue, Alu K8K Tank 430 liters L1A Bi-Xenon headlights L1C LED-Jasytime running lights L1D L4D-Aursmitch light / low beam and comering light L1P LED taillights L1P L4D Latilights L3A Spoilight, below L3C Working lights, cab rear wall, above	FOT Mercedes star lit
F2P Cab width 2.50 m F2P Cab Leight 765 m top F2P Cab Leight 765 m top F3C Cab suspension comfort with air suspension, F4X Storage compartment outside flap left F4Y Storage compartment outside flap left F4Y Storage compartment outside flap left F4X E5D F5L Sun visor, exterior, transparent F6R Air horns, cab roof F6T MirrorCam F6R MirrorCam F6W MirrorCam bracket chrome, lower cover cab color F8E Locking system with central locking F8E comfort Lock F8U Light sensor F8W Rain sensor F8W Rain sensor G6K Driving program economy / power G6K Driving program economy / power G6K Driving program economy / power G6K Driving system system G7E T8E T8E T8E T8E T8E T8E T8E T8E T8E T8	F1J GigaSpace cab 2.30 m wide, flat floor
F2P Cab, height 765 mm top F3C Cab suspension comfort with air suspension, F3C Cab suspension comfort with air suspension, F3C XS torage compartment outside flap left F4Y Storage compartment outside flap left F4Z 156 F5L Sun visor, exterior, transparent F5C Air horns, cab roof F5R Air horns, cab roof F6R Air horns, cab roof F6R Air horns, cab roof F6R Locking system with central locking F6R Locking system with central locking F6R Locking system with central locking F6R Comfort Lock F6V UltriorCam bracket chrome, lower cover cab color F6V WirnorCam bracket chrome, lower cover cab color F6V Locking system with central locking F6V Locking system with central locking F6V Locking system F6	F1R Cab long
F3C Cab suspension comfort with alir suspension, FAX Storage compartment outside flap left F4X Storage compartment outside flap, right F4Z ISb F5L Sun visor, exterior, transparent F6R Air horns, cab roof F6V MirrotCam bracket chrome, lower cover cab color F8E Locking system with central locking F8E confort Look F8V Light sensor F8W Rain sensor G8W Priving program economy / power G9T Predictive Powertrain Control (PPC) G9G Mercades PowerShift 3 E2F Tires 315/70 R 22.5 E2M Tires 385/58 R 22.5 VAVLA/NLA HA4 As2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3W Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axle load measuring device J9A Provision for fitting CB radio, 12 V, DIN slot J9P Pre-installation for toll collection KR Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Kenon headlights L1A Bi-Kenon headlights L1D Automatic high / low beam and cornering light L1H LED taillights L1D Automatic high / low beam and cornering light L1H LED taillights L1D Automatic high / low beam and cornering light L1H LED taillights L1D Automatic high / low beam and cornering light L1P LED taillights L3 Kovfrking lights, cab rear wall, above	F2H Cab width 2.50 m
F4X Storage compartment outside flap left FAY Storage compartment outer flap, right FAZ ISb FAZ ISb FAL Sun visor, exterior, transparent FER Air horns, cab roof FET MirrorCam FET MirrorCam FET MirrorCam FET MirrorCam FET WirrorCam FET Wirro	F2P Cab, height 765 mm top
F4X Storage compartment outside flap left FAY Storage compartment outer flap, right FAZ ISb FAZ ISb FAL Sun visor, exterior, transparent FER Air horns, cab roof FET MirrorCam FET MirrorCam FET MirrorCam FET MirrorCam FET WirrorCam FET Wirro	F3C Cab suspension comfort with air suspension,
F4Y Storage compartment outer flap, right F4Z f5b F5L Sun visor, exterior, transparent F6R Air horns, cab roof F6T MirrorCam F6W MirrorCam bracket chrome, lower cover cab color F8E Locking system with central locking F8F comfort Lock F8V Light sensor F8W Rain sensor G8W Rain sensor G8W Rain sensor G8W Rain sensor G8W Predictive Powertrain Control (PPC) G9G Mercedes PowerShift 3 L2F Tires 315/70 R 22.5 L2F Tires 315/70 R 22.5 L2M Tires 385/55 R 22.5 VAVVLANLA L4A 4x2 wheel formula J2J Sound-System J2W Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Roquirement FleetBoard Manager App J3U Y Truck Data Center 7 J3Z Axie load measuring device J6C Multimedia cockpit, interactive J9A Provision for fitting CB radio, 12 V, DIN slot J9A Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1A Bi-Xenon headlights L1D Automatic high / low beam and cornering light L1H F0 Jamps, halogen L1P LED talllights L1D Aux Spotlight, below L3C Working lights, cab rear wall, above	F4X Storage compartment outside flap left
FAZ 15b FGL Sun visor, exterior, transparent FGR Air horns, cab roof FGT MirrorCam FGF WirrorCam bracket chrome, lower cover cab color FGE Locking system with central locking FGF Comfort Lock FGV Light sensor FGW Rain sensor GGK Driving program economy / power GGK Bercades PowerShift 3 LEF Tires 315/70 R 22.5 LEW Tir	F4Y Storage compartment outer flap, right
FER Air horns, cab roof FET MirrorCam bracket chrome, lower cover cab color FES Locking system with central locking FES comfort Lock FESV Light sensor FEW Rain sensor GOK Driving program economy / power GOT Predictive Powertrain Control (PPC) GEG Mercedes PowerShift 3 12F Tires 315/70 R 22.5 12M Tires 315/70 R 22.5 12M Tires 315/70 R 22.5 VAV/LA/NLA 14A 442 Wheel formula 12J Sound-System 12JU Auxin, a side wall shelf, right 12JO Convenience telephony, wireless charging 12JU Navigation system 13JU Navigation system 13JU Navigation system 13JU Requirement FleetBoard Manager App 13JV Truck Data Center 7 13JC Akale load measuring device 13P Provision for fitting CB radio, 12 V, DIN slot 13P Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters 1-14 Bi-Xenon headlights 1-16 LED-daytime running lights 1-16 LED-daytime running lights 1-17 LED tallilights 1-18 A Spotlight, below 1-3 A Working lights, cab rear wall, above	F4Z f5b
F6T MirrorCam bracket chrome, lower cover cab color F8E Locking system with central locking F8E Locking system with central locking F8F comfort Lock F8V Light sensor F8W Rain sensor G0K Driving program economy / power G0K March 315 Mr. Scholar Statistics J12F Tires 315/70 R 22.5 J12M Tires 3	F5L Sun visor, exterior, transparent
F6V MirrorCam bracket chrome, lower cover cab color F8E Locking system with central locking F8F comfort Lock F8V Light sensor F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G3G Mercedes PowerShift 3 I2F Tires 315/70 R 22.5 I2M Tires 385/56 R 22.5 VA/VLA/NLA I4A 4x2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Requirement FleetBoard Manager App J3Y Truck Data Center 7 J32T Axle load measuring device J6C Multimedia cockpit, interactive J9A Provision for fitting CB radio, 12 V, DIN slot J9D Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Latomatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	F6R Air horns, cab roof
F8E Locking system with central locking F8F comfort Lock F8V Light sensor F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G3G Mercedes PowerShift 3 L9E Tires 315/70 R 22.5 L2ET Tires 315/70 R 22.5 L2ET Tires 315/70 R 22.5 L3W Tires 335/55 R 22.5 VAV/LANLA L4A 4x2 wheel formula J2J Sound-System J2J Sound-System J2J Sound-System J2J Navigation system J3U Navigation system J3U Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axie load measuring device J3F C Multimedia cockpit, interactive J3P Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1C AB-Xenon headlights L1C LED-daytime running lights L1D Blamps, halogen L1H Fog lamps, halogen L1H Fog lamps, halogen L2H L2H L2H L3H L3H L3H L3H L3H L3H L3H L3H L3H L3	F6T MirrorCam
F8F comfort Lock F8V Light sensor F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G5G Mercedes PowerShift 3 I2F Tires 315/70 R 22.5 I2M Tires 335/55 R 22.5 VAVLA/NLA I4A 4x2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Requirement FleetBoard Manager App J3U Requirement FleetBoard Manager App J3U Truck Data Center 7 J3Z Axle load measuring device J6C Multimedia cockpit, interactive J3P Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	F6V MirrorCam bracket chrome, lower cover cab color
F8F comfort Lock F8V Light sensor F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G5G Mercedes PowerShift 3 I2F Tires 315/70 R 22.5 I2M Tires 335/55 R 22.5 VAVLA/NLA I4A 4x2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Requirement FleetBoard Manager App J3U Requirement FleetBoard Manager App J3U Truck Data Center 7 J3Z Axle load measuring device J6C Multimedia cockpit, interactive J3P Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	F8E Locking system with central locking
F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G5G Mercedes PowerShift 3 I2F Tires 315/70 R 22.5 I2M Tires 385/55 R 22.5 VA/VLA/NLA I4A 4x2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Navigation system J3U Navigation system J3U Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axle load measuring device J3G Multimedia cockpit, interactive J3A Provision for fitting CB radio, 12 V, DIN slot J3D Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1P LED talllights L3A Spotlight, below L3C Working lights, cab rear wall, above	
F8W Rain sensor G0K Driving program economy / power G0T Predictive Powertrain Control (PPC) G5G Mercedes PowerShift 3 I2F Tires 315/70 R 22.5 I2M Tires 385/55 R 22.5 VA/VLA/NLA I4A 4x2 wheel formula J2J Sound-System J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system J3U Navigation system J3U Navigation system J3U Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axle load measuring device J3G Multimedia cockpit, interactive J3A Provision for fitting CB radio, 12 V, DIN slot J3D Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1P LED talllights L3A Spotlight, below L3C Working lights, cab rear wall, above	F8V Light sensor
GOT Predictive Powertrain Control (PPC) GSG Mercedes PowerShift 3 12F Tires 315/70 R 22.5 12M Tires 385/55 R 22.5 VA/VLA/NLA 14A 4x2 wheel formula J2J Sound-System  J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system  J3U Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axle load measuring device J6C Multimedia cockpit, interactive J9A Provision for fitting CB radio, 12 V, DIN slot J9D Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1P LED talllights L3A Spotlight, below L3C Working lights, cab rear wall, above	F8W Rain sensor
GOT Predictive Powertrain Control (PPC) GSG Mercedes PowerShift 3 12F Tires 315/70 R 22.5 12M Tires 385/55 R 22.5 VA/VLA/NLA 14A 4x2 wheel formula J2J Sound-System  J2M Aux-in, a side wall shelf, right J2O Convenience telephony, wireless charging J2U Navigation system  J3U Requirement FleetBoard Manager App J3V Truck Data Center 7 J3Z Axle load measuring device J6C Multimedia cockpit, interactive J9A Provision for fitting CB radio, 12 V, DIN slot J9D Pre-installation for toll collection K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu K6K Tank 430 liters L1A Bi-Xenon headlights L1C LED-daytime running lights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1P LED talllights L3A Spotlight, below L3C Working lights, cab rear wall, above	G0K Driving program economy / power
G5G Mercedes PowerShift 3  12F Tires 315/70 R 22.5  12M Tires 385/55 R 22.5 VA/VLA/NLA  14A 4x2 wheel formula  JJJ Sound-System  JJM Aux-in, a side wall shelf, right  J2O Convenience telephony, wireless charging  J3U Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	
12M Tires 385/55 R 22.5 VA/VLA/NLA 14A 4x2 wheel formula 12J Sound-System 12M Aux-in, a side wall shelf, right 12O Convenience telephony, wireless charging 12U Navigation system 13U Requirement FleetBoard Manager App 13J Truck Data Center 7 13Z Axle load measuring device 14C Multimedia cockpit, interactive 15D Pre-installation for fitting CB radio, 12 V, DIN slot 15D Pre-installation for toll collection 15R Cambi Tank 720 L Diesel + 75 L AdBlue, Alu 15R Kanh 430 liters 15R L1A Bi-Xenon headlights 15R L1D Automatic high / low beam and cornering light 15R L1D Automatic high / low beam and cornering light 15R L1D L2D taillights 15R Spotlight, below 15R CWorking lights, cab rear wall, above	G5G Mercedes PowerShift 3
I4A 4x2 wheel formula  JZJ Sound-System  JZM Aux-in, a side wall shelf, right  JZO Convenience telephony, wireless charging  JZU Navigation system  JZU Requirement FleetBoard Manager App  JZY Truck Data Center 7  JZZ Axle load measuring device  JGC Multimedia cockpit, interactive  JAP Provision for fitting CB radio, 12 V, DIN slot  JAP Provision for fitting CB radio, 12 V, DIN slot  JAP Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	I2F Tires 315/70 R 22.5
J2J Sound-System  J2M Aux-in, a side wall shelf, right  J2O Convenience telephony, wireless charging  J2U Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	I2M Tires 385/55 R 22.5 VA/VLA/NLA
JZM Aux-in, a side wall shelf, right  JZO Convenience telephony, wireless charging  JZU Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	I4A 4x2 wheel formula
JZM Aux-in, a side wall shelf, right  JZO Convenience telephony, wireless charging  JZU Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J2J Sound-System
J2O Convenience telephony, wireless charging  J2U Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	
J2U Navigation system  J3U Requirement FleetBoard Manager App  J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	
J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J2U Navigation system
J3V Truck Data Center 7  J3Z Axle load measuring device  J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J3U Requirement FleetBoard Manager App
J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J3V Truck Data Center 7
J6C Multimedia cockpit, interactive  J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J3Z Axle load measuring device
J9A Provision for fitting CB radio, 12 V, DIN slot  J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	
J9D Pre-installation for toll collection  K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu  K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	
K6K Tank 430 liters  L1A Bi-Xenon headlights  L1C LED-daytime running lights  L1D Automatic high / low beam and cornering light  L1H Fog lamps, halogen  L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	J9D Pre-installation for toll collection
L1A Bi-Xenon headlights L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	K1R Combi Tank 720 L Diesel + 75 L AdBlue, Alu
L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	K6K Tank 430 liters
L1C LED-daytime running lights L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	L1A Bi-Xenon headlights
L1D Automatic high / low beam and cornering light L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	L1C LED-daytime running lights
L1H Fog lamps, halogen L1P LED taillights L3A Spotlight, below L3C Working lights, cab rear wall, above	L1D Automatic high / low beam and cornering light
L1P LED taillights  L3A Spotlight, below  L3C Working lights, cab rear wall, above	L1H Fog lamps, halogen
L3A Spotlight, below L3C Working lights, cab rear wall, above	
L3C Working lights, cab rear wall, above	

M5B 2nd generation engine OM471		
M5C Engine version Euro 6, D		
M5V High Performance Engine Brake		
O1Y Steering, direct		
O3C Safety Pack		
O7L Chrome package, interior		
O7U Climate Package		
O7V Media Package		
O7W Stowage Package		
O8I Economy Package		
O8K Driving Package		
O8L Comfort Package		
O8O Sight Package		
Q5R		
S1D Stability Rules Wizard		
S1H Lane keeping assistant		
S1I Distance Keeping Assist		
S1L Alertness assistant		
S10 Traffic sign assistant		
S1W Active Brake Assist 5		
S1X Active Sideguard Assist		
S1Y Tire pressure monitoring system		
S2A Active Drive Assist 2		
S3A Airbag, driver		
S5Z cruise control		
SS2 Driver's seat air-sprung, heated and ventilated		
U1W AdBlue pipes, water-heated		
V2B Actros model generation 5		
W0K Weight variant 18.0 t (8.0 t / 11,5 t)		
Y1X Refrigerator, in drawers, under the bed		
Z1H EBS		
Z99 Vehicle without sparewheel		
Legal notice: The details of this offer are subject to change.  Subject to prior sale. For sale to businesses only.		

M3D Motor OM 471, R6, 12.8 I, 375 kW (510 hp) 2500 Nm

© 2005 AVG Trucks GmbH